Plants of South Eastern New South Wales



Flow ering stem Photographer Don Wood, east of Nerriga



Rowering stems. Australian Rant Image Index, photographer Murray Fagg, Eurobodalla Regional Botanic Gardens, north of Moruya



Pods and 'leaves'. Australian Flant Image Index, photographer Murray Fagg, Australian National Botanic Gardens, Canberra



Shrub. Australian Flant Image Index, photographer Murray Fagg, Flgeonhouse Mountain west of Uladulla

Common name

Slender wattle, Swamp wattle

Family

Fabaceae

Where found

Dry forest, woodland and heath, often in moist areas. Coast, ranges, and tablelands. Doubtfully naturalised in the ACT.

Notes

Shrub to 5 m tall. Fleshy seed stalks/arils. Branchlets cylindrical, angled towards the tips, hairy to hairless, with yellow longitudinal ridges. 'Leaves' alternating up the stems, 4-17 cm long, 1-7 mm wide, more or less rigid, straight to slightly curved, surfaces sparsely hairy to hairless, mostly 3 longitudinal veins prominent, tips pointed or blunt with a mucro. Flower heads yellow, globular, 20-42 flowered (easiest seen in late buds), 5-10 mm aross, in clusters of 1-7. Flowers Winter to Spring.

Family was Mimosaceae.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Acacia~elongata (accessed 27 December, 2020)

World Wide Wattle line drawings, photos, and description: http://www.worldwidewattle.com/imagegallery/image.php?
p=0&l=e&id=20571&o=1

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:



Android edition



iOS edition

Creative Commons Attribution 3.0 Australia (CC BY)