# **Plants of South Eastern New South Wales**



Row ering stem Australian Rant Image Index, photographers RG & FJ Richardson, unknow n site




Flow ering stem Photographer Don Wood, Batehaven near Batemans Bay



Pods and 'leaves'. Photographer Tony Dudley, Port Lincoln, SA



Shrub. Australian Rant Image Index, photographer Murray Fagg, Mount Ainslie, Canberra, ACT



Line drawing. p. flowering branch. M/bir, M, National Herbariumof Victoria, ©2021 Royal Botanic Gardens Board

## Common name

Kangaroo thorn, Hedge wattle, Prickly wattle

### Family

Fabaceae

### Where found

Dry forest, woodland, and shrubland, often on stony hills. Coastal between the Batemans Bay district and Moruya. Tablelands, ACT, and the Western Slopes.

## Notes

Shrub to 8 m tall. Fleshy seed stalks/arils. Sharp-pointed spiny stipules 4-15 mm long. Sharp-tipped 'leaves'. Bark finely fissured. Branchlets more or less cylindrical with low ridges, hairy or hairless. 'Leaves' alternating up the stems, often crowded, 0.5-3 cm long, 2-11 mm wide, hairless to hairy, midvein and marginal veins prominent, margins often more or less wavy, tips with a stiff sharp point or pointed with a mucro. Flower heads yellow, globular, 20-50 flowered (easiest seen in late buds), 5-12 mm in diameter, usually single, occasionally paired. Flowers Winter to Spring. Pods papery, densely hairy.

Was Acacia armata.

Family was Mimosaceae.

Thought to hybridise with Acacia verniciflua.

All native plants on unleased land in the ACT are protected.

World Wide Wattle photos, line drawings and description: http://www.worldwidewattle.com/imagegallery/image.php? p=0&l=p&id=3482&o=1

Author: Betty Wood.



This identification key and fact sheets are available as a free mobile application:



Creative Commons Attribution 3.0 Australia (CC BY)