# **Plants of South Eastern New South Wales**



Flowering stem Australian Flant Image Index, photographer Murray Fagg, near Numeralla east of Cooma




Flowering stem. Photographer Don Wood, Jervis Bay National Park, NSW



Pods and 'leaves'. Photographer John Tann, Paruna Reserve, Como, near Sydney



Shrub. Australian Plant Image Index, photographer Murray Fagg, near Numeralla east of Cooma



Line drawing. e. flowering branch. M/bir, National Herbariumof Victoria, © 2021 Royal Botanic Gardens Board

# Common name

Prickly Moses, Juniper wattle

# **Family**

Fabaceae

### Where found

Dry forest, woodland, and heath. Widespread.

### **Notes**

Shrub to 2 m tall or sprawling. Sharp-pointed 'leaves'. Bark smooth. Branchlets more or less cylindrical, hairy to hairless, often rough. 'Leaves' scattered, often crowded, sometimes almost in whorls, 0.5-2 cm long, 0.5-2 mm wide, more or less rigid, 4-angled to cylindrical or more or less flat, surfaces hairless, gradually tapering to a sharp point. Stipules at the bases of the leaves 1-2 mm long, tapering to a fine point. Flower heads yellow to nearly white, usually cream, globular, 15-45 flowered (easiest seen in late buds), 4-10 mm in diameter. Flower stalks 7-20 mm long. Flowers Autumn to Spring.

Family was Mimosaceae.

All native plants on unleased land in the ACT are protected.

Intergrades with Acacia brownii and Acacia echinula.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Acacia~ulicifolia (accessed 28 April 2021)

World Wide Wattle photos, line drawings and description: <a href="http://www.worldwidewattle.com/imagegallery/image.php?">http://www.worldwidewattle.com/imagegallery/image.php?</a>
p=0&l=u&id=20562&o=1

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:







Creative Commons Attribution 3.0 Australia (CC BY)