Plants of South Eastern New South Wales




Flowers and leaves. Photographer Don Wood, Glenbog State Forest near Brown Mountain



Flowers and leaves. Australian Flant Image Index, photographer Murray Fagg, Nunniong Pateau, Vic



Leafy stems with pods. Photographer Ilma Dunn, © 2021 Royal Botanic Gardens Board, Melborne, Vic



Line drawings. h. flowering stem leaves and stipules; flower. J Armstrong, National Herbarium of Victoria, © 2021 Royal Botanic Gardens Board

Common name

Wiry bush-pea

Family

Fabaceae

Where found

Wet and swampy **heath**, and along streams. Western edge of the ranges and eastern edge of the tablelands south from Deua National Park.

Notes

Shrub to 1.2 m tall or sprawling. Stems cylindrical, hairless to moderately hairy hairy with appressed hairs. Leaves alternating up the stems, 0.5-1.2 cm long, 1-2 mm wide, tips pointed; lower surface usually with a dark purplish-brown central band, margins flat to slightly curved, or rarely rolled, upwards, not warty. Flowers pea-shaped, with 5 petals, 2 joined together to form the keel, with orange to yellow petals with red to dark markings, calyx 3-3.5 mm long, hairless a least at the base, standard petal 7-10 mm long. Flowers in tight clusters of 4–10 flowers at the tops of the stems. Bracteoles below the flowers 1–3 mm long, moderately to densely hairy. Bracts below the flowers 2–3 mm long, often stiffly pointed. Flowers Spring.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl? page=nswfl&lvl=sp&name=Almaleea~subumbellata (accessed 2 January, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:





