Plants of South Eastern New South Wales



'Flow er' and leaves. Australian Plant Image Index, photographer Murray Fagg, Australian National Botanic Gardens, Canberra



Fruit. Australian Plant Image Index, photographer Mırray Fagg, Australian National Botanic Gardens, Canberra



Plant. Australian Plant Image Index, photographer Murray Fagg, Australian National Botanic Gardens, Canberra

Common name

Cunjevoi, Spoon Lily, Elephant Ears

Family

Araceae

Where found

Rainforest, rainforest margins, and disturbed rainforest. Coast and the eastern edge of the ranges, north of Berry.

Notes

Massive **erect** to sprawling **perennial** herb to 1.8 m high. Fruit fleshy. Stem about 12 cm diameter, covered in old leaf bases. Leaves **alternating** up the stems, 45-90 cm long, 300-600 mm wide, glossy green, hairless. Flowers highly fragrant. Individual flowers small, with 0 **petals**. Male and female flowers on the same plant, in a **spike**, male flowers above, female flowers below, separated from the males by rudimentary flowers. Spathe 150-250 mm long, usually green, withering away. Flower spike shorter than the **spathe**, tapering. Fruit pink to red when ripe, the fruiting spike enclosed by the lower part of the withered spathe. Flowering: mostly early summer.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl? page=nswfl&lvl=sp&name=Alocasia~brisbanensis (accessed 2 January, 2021)

Author: Betty Wood.

 $This identification \ key \ and \ fact \ sheets \ are \ available \ as \ a \ free \ mobile \ application:$





