Plants of South Eastern New South Wales



Flow er cluster closeup. Australian Plant Image Index, photographer Murray Fagg, NSW



Flow er cluster and leaves. Australian Flant Image Index, photographer Murray Fagg, NSW



Rant. Australian Rant Image Index, photographer Murray Fagg, NSW

Common name

Bishop's weed, Bullwort

Family

Apiaceae

Where found


Weed of dry forest, woodland, grassy areas, cultivation, and disturbed sites. Mostly Sydney area and Blue Mountains. Sporadic elsewhere.

Notes

Introduced perennial herb to 1.3 m tall. Stems hairless. Leaves basal and alternating up the stems. Basal leaves 1-15 cm long, compound, with 3-5 leaflets, each 1-6 cm long, 2-20 mm wide, upper stem leaves smaller and much narrower in proportion, all except the uppermost leaves with toothed margins. Leaves not fern-like. Flowers in clusters 30-70 mm in diameter. Individual flowers about 3 mm in diameter, with 5 white petals. 'Seeds' with no spines. Flowers most of the year, mainly Spring to Summer.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lv1=sp&name=Ammi~majus (accessed 3 January, 2021)

Author: Betty Wood.





Android edition 🛛 iOS edition

Creative Commons Attribution 3.0 Australia (CC BY)