# **Plants of South Eastern New South Wales**



Flower heads. Australian Flant Image Index, photographer Murray Fagg, Australian National Botanic Gardens, Canberra



Flow ering plants. Australian Flant Image Index, photographer Geoff Butler, Burrinjuck Dam Road

## Common name

Yass daisy

## **Family**

Asteraceae

### Where found

Forest, woodland, and grassy areas. Tablelands, Western Slopes, and western Snowy Mountians from Lyndhurst (north east of Cowra) to south of Wagga Wagga, and east to NW of Crookwell. Mainly between Booroowa and the Tumut district.

### **Notes**

Perennial herb to about 0.6 m high. Stems scarcely winged, more or less woolly. Basal leaves in a rosette, 3–12 cm long, 10–17 mm wide, upper surface hairy, lower surface white and woolly, tips pointed. Stem leaves few, smaller. Flower heads yellow, hemispherical, about 10–20 mm in diameter, with 0 petals, single. Florets yellow. Flowering: spring to summer.

Vulnerable Australia. Vulnerable NSW. Provisions of the Biodiversity Conservation Act 2016 No 63 relating to the protection of protected plants generally also apply to plants that are a threatened species.

NSW Threatened Species profile: http://www.environment.nsw.gov.au/threatenedspeciesapp/profile.aspx?id=10043 (accessed 3 January, 2021)

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl? page=nswfl&lvl=sp&name=Ammobium~craspedioides (accessed 3 January, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:







Creative Commons Attribution 3.0 Australia (CC BY)