Plants of South Eastern New South Wales



Flowers and leaves. Photographer Don Wood, north of Bermagui



Trunk and juvenile foliage. Photographer Jackie Miles

Common name

Apple, Rough-barked apple

Family

Myrtaceae

Where found

Forest. Coast, ranges, and the eastern edge of the tablelands.

Notes

Tree to 30 m tall. Bark rough on all but the smallest branches, fibrous, usually furrowed. Juvenile stems cylindrical, hairy to hairless. Leaves aromatic when rubbed, opposite each other. Juvenile leaves 4.5-12 cm long, 20-50 mm wide, green, hairless or hairy, bases stem-clasping to rounded, margins entire or rarely finely toothed, tips pointed. Adult leaves 4.5-15 cm long, 10-50 mm wide, glossy green to dull grey-green, margins entire, tips pointed. Flower clusters 3-7- flowered. Flowers with 4-5 petals, creamy white to white, with a green stripe down the back, each 2-4 mm long. Stamens white, filaments 5–7 mm long. Buds and gumnuts longitudinally ribbed. Mature buds 3-7 mm in diameter. Gumnuts 7-11 mm in diameter. Gumnuts that have dropped their seed have valves that are not very noticeable. Flowers Summer.

Intergrades with Angophora subvelutina are known.


Rare Vic.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl? page=nswfl&lvl=sp&name=Angophora~floribunda (accessed 3 January, 2021)

EUCLID description: https://apps.lucidcentral.org/euclid/text/entities/angophora_floribunda.htm (accessed 17 April 2021)



Gurmuts and leaves. Photographer Don Wood, Carnarvon Station Bush Heritage Reserve via Augathella, Qld



Line drawings. c. flow ering branch; d. gumut. SMCarke, National Herbarium of Victoria, © 2021 Royal Botanic Gardens Board

Author: Betty Wood.

6 ۲ This identification key and fact sheets are available as a free mobile application:



Android edition



Creative Commons Attribution 3.0 Australia (CC BY)