Plants of South Eastern New South Wales



Row ering stem Australian Rant Image Index, photographer Murray Fagg, Australian National Botanic Gardens, Canberra, ACT



Flow ering stems. Photographer Don Wood, Nerrigundah near Bodalla



Shrub. Australian Plant Image Index, photographer R Hotchkiss, Australian National Botanic Gardens, Canberra. ACT

Common name

Small-leaved boronia

Family

Rutaceae

Where found

Forest and heath. Ranges north of Cobargo.

Notes

Shrub to 1 m high. Branchlets sparsely bristly, becoming hairless with age, glandular-warty. Leaves aromatic when rubbed, opposite each other, compound, with 5–15 leaflets, terminal leaflet shortest. Rachis 0.3–1.6 cm long, winged. Leaflets 0.3–0.8 cm long, 1–4 mm wide, hairless, more or less thick, more or less glandular-warty, margins entire, tips blunt and mucronate. Flowers bright pink to rose purple, rarely white, with 4 petals each 5-8 mm long. Petals overlapping each other in bud, falling early. 8 stamens. Flowers in 1-5 flowered clusters. Flowering: October-February

Protected NSW.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl? page=nswfl&lvl=sp&name=Boronia~microphylla (accessed 5 January, 2021)

Author: Betty Wood.



This identification key and fact sheets are available as a free mobile application:





Creative Commons Attribution 3.0 Australia (CC BY)