
# **Plants of South Eastern New South Wales**



Flowering plant. Photographer Don Wood, Kowen Stock Route Reserve, ACT



Rowering plants. Australian Plant Image Index, photographer Murray Fagg, Namadgi National Park, ACT



Line drawings. c. plant; seed. Goria Thorrlinson, Daisy Study Group, © 2021 Royal Botanic Gardens Board, Melbourne, Vic

## Common name

Hairy Cut-leaf Daisy, Cut-leaf Daisy, Leafy Daisy

### Family

Asteraceae

### Where found

Dry forest, woodland, shrubland, grassland, and alpine herbfields. Kosciuszko National Park, the mountains to the north, ACT, tablelands, and the ranges.

#### **Notes**

Perennial herb or shrub to 0.6 m high, sometimes sprawling or prostrate, sticky-hairy. Leaf segments often with sharp-pointed tips, crowded, 0.5-2.5 cm long, deeply dissected, segments about 1 mm wide. Flower heads single, with 22-40 white, pinkish, or mauve to purple 'petals' 7-13 mm long, and yellow centres 5–13 mm in diameter. Bracts appressed to the flower heads about 11-20. Flowering: August-May.

All native plants on unleased land in the ACT are protected.

Definite identification of most species of Brachyscome depends on microscopic examination of the seeds.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl? page=nswfl&lvl=sp&name=Brachyscome~rigidula (accessed 6 January, 2021)

Description partly based on: Short, P.S. (2014), A taxonomic review of *Brachyscome* Cass. s.lat. (Asteraceae: Astereae), including description of a new genus, *Roebuckia*, new species and new infraspecific taxa. *Journal of the Adelaide Botanic Gardens* 28: 72-74

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:



Android edition



iOS edition

Creative Commons Attribution 3.0 Australia (CC BY)