Plants of South Eastern New South Wales



Flowering stems. Australian Flant Image Index, photographer Feter Ollerenshaw, Blue Mouintains



Flowering and fruiting stems. Australian Flant Image Index, photographer Murray Fagg, between Numeralla and Belowra



Shrub. Australian Plant Image Index, photographer Murray Fagg, between Numeralla and Belowra

Common name

White sour bush

Family

Santalaceae

Where found

Dry forest and woodland. Ranges, tablelands, and ACT. Coastal north from Tuross Head.

Notes

Tree or shrub to 5 m high. Branches moderately angular, sharply ridged below the leaf scars, hairless. Leaves alternating up the stems, scale-like, 0.1–0.3 cm long, appressed to slightly spreading, usually present on young branches, then shedding late. Flowers with 5 white or cream 'petals' each about 1 mm long. Flowers single; subtended by leaf-like bracts. Flowering: mainly late winter to summer. Fruit dark, initially fleshy, dry at maturity.

Occasional intermediates between Choretrum candollei and Choretrum pauciflorum are known.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl? page=nswfl&lvl=sp&name=Choretrum~candollei (accessed 7 January, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:





