Plants of South Eastern New South Wales



Flower heads. Photographer Chris Lindorff, Ned's Corner Station Reserve via Lake Cullulleraine, Vic



Flow ering plants. Photographer Chris Lindorff, Ned's Corner Station Reserve via Lake Cullulleraine, Vic

Common name

Ferny Cotula

Family

Asteraceae

Where found

Poorly drained pastures, roadsides, and moist, often saline, sites. Western Slopes.

Notes

Introduced annual herb to about 0.25 m tall. Stems hairless. Leaves alternating up the stems, 1-6 cm long, 10-20 mm wide, hairless, deeply dissected, the segments dissected, with a bases sheathing or stem-clasping. Upper leaves smaller, entire. Flower heads cream with a yellow centre, 6–8 mm in diameter, hemispherical, with many florets, 0 petals. Margins of the bracts surrounding the flower heads often purplish. Flower heads single. Flower stalks 20-80 mm long.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Cotula~bipinnata (accessed 8 January, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:







Creative Commons Attribution 3.0 Australia (CC BY)