Plants of South Eastern New South Wales



Plants. Photographer Richard Hartland, Mt Hotham, Vic



Flowering plants. Australian Flant Image Index, photographer Murray Fagg, Kosciuszko National Park

Common name

Bog billy-buttons

Family

Asteraceae

Where found

Heath, herbfields, damp sites, and bogs. Kosciuszko National Park, the mountains to the north, and ACT.

Notes

Robust herb to about 0.5 m high. The single flower stalk woolly, at least just below the flower head. Leaves basal and alternating up the stem, 4–25 cm long, 10–40 mm wide, limp, dark green, often shining, with scattered hairs; margins often densely hairy, tips blunt, bases broadly stem-clasping. Flower head golden-yellow, 15–35 mm in diameter, with up to 90 partial heads; partial heads with 7–11 florets with 0 petals. Flower head globular, single. Flowering: summer.

Protected NSW.

All native plants on unleased land in the ACT are protected.

Vulnerable Vic.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Craspedia~lamicola (accessed 7 January, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:







Creative Commons Attribution 3.0 Australia (CC BY)