## **Plants of South Eastern New South Wales**



Flowers and leaves. Australian Rant Image Index, photographer Murray Fagg, Goorooyaroo Nature Reserve, ACT



Flower, buds, and spent flowers. Photographer Richard Hartland, Chewton, Vic



Flower, buds, and spent flowers. Photographer bbi2, New Zealand



Flow ering plant. Photographer Russell Best, near Whittlesea. Vic

#### Common name

Tall Sundew, Sundew

#### **Family**

Droseraceae

### Where found

Forest, woodland, moist situations including near swamps and in gullies, and amongst rocks. Widespread.

# Notes

Perennial herb to 0.6 m high, rhizomatous. Stems hairless. Lowest leaves in a flat rosette, roundto kidney shaped, 2–6 mm in diameter, usually withering early. Stem leaves alternating up the stems or in clusters, roundish with two pointed lobes, 0.3–1.9 cm long, 4–8 mm wide, peltate, covered with glandular hairs that trap insects. Flowers with 5 white or pink petals each 3–10 mm long. Sepals 5, hairles. Flowers in 2–14-flowered clusters 3–10 cm long. Flowering: winter to summer.

All native plants on unleased land in the ACT are protected.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Drosera~auriculata (accessed 12 January, 2021)

Author: Betty Wood.

 $This \, identification \, key \, and \, fact \, sheets \, are \, available \, as \, a \, \, free \, mobile \, application: \, \\$ 





