Plants of South Eastern New South Wales



Flowering stems. Australian Flant Image Index, photographer R Hotchkiss, Australian National Botanic Gardens, Canberra, ACT



Flow ering stems. Photographer Don Wood, Carnarvon Station Bush Heritage Reserve via Augathella, Qld



Stems with ripe fruit. Australian Flant Image Index, photographer Murray Fagg, Australian National Botanic Gardens, Canberra, ACT



Plant. Australian Plant Image Index, photographer Murray Fagg, Australian National Botanic Gardens, Canberra, ACT

Common name

Winter Aple

Family

Scrophulariaceae

Where found

Dry forest and grassy woodland. Sydney area and Western Slopes. Rarely elsewhere.

Notes

Prostrate shrub to 3 m diameter. Fruit fleshy. Branches hairless, obscurely to prominently warty. Leaves alternating along the stems, 2–12.5 cm long, 3.5–29 mm wide, tips pointed, margins with prominent curved down teeth towards the leaf bases, entire, or occasionally with some small teeth near the tips, surfaces hairless. Flowers white to mauve, 3.5–11 mm long, tubular, with 5 lobes, vaguely 2-lipped. Flowers in clusters of 1-3. Flowering: spring–summer. Fruit white to reddish purple.

Family was Myoporaceae.

Endangered Vic.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Eremophila~debilis (accessed 14 January, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:





