Plants of South Eastern New South Wales



Flowers and young seed cases. Photographer Keir Morse, Oregon, USA



Line drawings. a. plant; b. seed case. BMMayfield, National Herbariumof Victoria, © 2021 Royal Botanic Gardens Board

Common name

Black Bindweed

Family

Polygonaceae

Where found

Weed of pastures, crops and gardens. Sydney area. Elsewhere widespread but not common. Doubtfully naturalised in the ACT.

Notes

Introduced annual or short-lived perennial herb, twining or sprawling. Stems to about 1 m long, hairless, hairy with minute hairs, or slightly mealy. Leaves alternating up the stems, 1.5–7 cm long, 10–40 mm wide, bases with rounded to backward pointed lobes, margins entire, or wavy and scalloped. Flowers green, green with narrow white margins, or greenish white, with 5 'petals', each 2–6 mm long, free from each other above about midway. Flowers in elongated, sometimes branched, clusters, spread along the stems, or reduced to clusters at the bases of the leaves. Flowers Nov.–Mar. Nuts triangular in cross section, dull, black, surfaces finely granular, with shallowly concave to flat faces, 3.5–4.5 mm long.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Fallopia~convolvulus (accessed 22 January, 2021)



Creative Commons Attribution 3.0 Australia (CC BY)



Young seed cases. Photographer JC Schou, Denmark