Plants of South Eastern New South Wales




Flowering branch. Australian Flant Image Index, photographer Murray Fagg, Barrington Tops National Park



Fruiting branch. Photographer Andre Messina, unknown place, © 2021 Royal Botanic Gardens Board, Melbourne



Shrub. Photographer Wayne Martin Mt Buffalo, Vic



Line drawings. a. flowering branch; b. fruit; c. flower. SMClarke, National Herbarium of Victoria, © 2021 Royal Botanic Gardens Board.

Common name

White waxberry, Waxberry

Family

Ericaceae

Where found

Forest, woodland, shrubland, rocky areas, and gullies. Ranges and Kosciuszko National Park. Occasionally elsewhere.

Notes

Shrub to 2 m high. Fruit fleshy. Young stems rough, with reddish brown, bristly, more or less appressed hairs, sometimes overlying very short, fine, curled hairs. Leaves alternating up the stems, 3–9 cm long, 10–30 mm wide, hairless, but often bristly along the veins, margins finely toothed. Flowers white to pale pink, 2.5–5 mm long, urn-shaped, tubular, with 5 lobes, in clusters of 3–11 flowers. Flowering: late spring to summer. Fruiting sepals white, fleshy and largely fused, forming a berry-like structure 8–10 mm in diameter, enclosing the dry seed case.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Gaultheria~appressa (accessed 22 January, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:





