Plants of South Eastern New South Wales




Flow er. Photographer Jackie Mles, Mt White N of Sydney



Flowering stems. Photographer Don Wood, Sidlings Swamp Flora Reserve south of Eden



Shrub. Australian Plant Image Index, photographer Murray Fagg, Australian National Botanic Gardens, Canberra, ACT



Line drawings. d. branchlet and flower; e. anther. GRM Dashorst, State Herbarium of South Australia, © 2021 Royal Botanic Gardens Board, Melbourne, Vic

Common name

A guinea flower

Family

Dilleniaceae

Where found

Forest and heath. Coastal north from near Kioloa and south of Tura Beach. Rarely in the ranges.

Notes

Shrub to 0.4 m high or sprawling. Stems hairless except for hairy new growth with **simple** hairs. Leaves clustered, 0. 3–2.14 cm long, 0.3–0.7 mm wide, surfaces covered in soft hairs with simple hairs, to hairless, margins often curved upwards, tips blunt. Flowers with 5 yellow **petals** each 3.4–12.6 mm long. **Stamens** 8–12, in groups around the **carpels**. Carpels 3, hairless. **Sepals** hairless, rarely hairy with short hairs towards the tips. Flowers single at the bases of the leaves, and on the ends of short shoots, stalkless. Flowers Winter to Summer.

Hibbertia fasciculata var. prostrata in VICFLORA (accessed 21 February 2021)

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl? page=nswfl&lvl=sp&name=Hibbertia~fasciculata (accessed 21 February 2021)

Author: Betty Wood.

 $This identification \ key\ and\ fact\ sheets\ are\ available\ as\ a\ free\ mobile\ application:$





