Plants of South Eastern New South Wales



Flowering branches. Australian Flant Image Index, photographer Colin Totterdell, Kosciuszko National



Line drawings. c. flowering branch; d. seed case. SM Clarke, National Herbarium of Victoria, © 2021 Royal Botanic Gardens Board

Common name

Yellow kunzea

Family

Myrtaceae

Where found

Heath, **grassland**, and around bogs, at higher altitudes. Kosciuszko National Park, the mountains to the north, and the ACT. Occasionally on the tablelands and ranges.

Notes

Shrub to 1 m tall or sprawling to prostrate to about 1m diameter. Young stems hairy. Leaves aromatic when rubbed, crowded, usually opposite each other, 0.3-0.8 cm long, about 0.5 mm wide, margins curved upwards making the leaves appear cylindrical, tips blunt, surfaces at first hairy, becoming hairless with age. Flowers cream to yellow, with 5 round petals about 1.5-3 mm in diameter, in head-like clusters. Stamens 2-5 mm long; style 4.5–6 mm long. Flowers Summer.

All native plants on unleased land in the ACT are protected.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Kunzea~muelleri (accessed 19 January, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:







Creative Commons Attribution 3.0 Australia (CC BY)