# **Plants of South Eastern New South Wales**



Flow ering stems. Australian Flant Image Index, photographer AN Schmidt-Lebuhn, Koorawatha Nature Reserve south of Cowra



Flow ering stems. Australian Flant Image Index, photographer Murray Fagg, Thirloene NW of Armidale

## Common name

None

# **Family**

Asparagaceae

### Where found

Shrubland and heath. Coast, ranges, and the eastern edge of the tablelands, north of Ulladulla and Queanbeyan. ACT.

#### **Notes**

Perennial herb, to about 0.1 m high, often prostrate to spreading. Leaves with sharp tips. Leaves in clusters along the stems, mostly 0.4–5.1 cm long, 1–2 mm wide, margins fringed; basal sheath membranous, 2.5–11 mm long. Flowers white to pink, opening at night, with 6 'petals'. Outer 'petals' 3–4 mm long; inner 'petals' loosely tubular, 3–5 mm long. Flowers in 7–11-flowered clusters. Flowering: Aug.—Nov.

Family Anthericaceae in PlantNET.

All native plants on unleased land in the ACT are protected.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Laxmannia~compacta (accessed 13 April 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:







Creative Commons Attribution 3.0 Australia (CC BY)