
Plants of South Eastern New South Wales



Stemwith male flowers above, female flowers below. Australian Rant Image Index, photographer Murray Fagg, Kosciuszko National Park



Line drawings. Illustration: G Thornlinson, f. branch (with submerged and emergent leaves); seed case. National Herbarium of Victoria, © 2021 Royal Botanic Gardens Board

Common name

Varied Water-milfoil

Family

Haloragaceae

Where found

In still or slowly flowing water. Widespread.

Notes

Perennial herb, rooting at the nodes in shallow water. Stems to 0.5 m long, to 5 mm in diameter. Emergent leaves in whorls of 5, mostly 0.8–1.5 cm long, to 1 mm wide, entire, or the margins of the lowermost leaves with a few teeth. Submerged leaves in whorls of 4 or 5, mostly 1.1–2 cm long, with 9–15 well-spaced narrow segments like the teeth of a comb. Male and female flowers on the same plant, usually male and female on the same stem, rarely all female on a stem. Male flowers with 4 yellow to reddish hooded petals each 2–3.5 mm long. Female flowers with 0 sepals, 0 petals, stigmas white. Flowers single at the base of whorled leaves.

Definite identification of species of *Myriophyllum* often requires microscopic examination of the seed cases, beyond the scope of this key.

All native plants on unleased land in the ACT are protected.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl? page=nswfl&lvl=sp&name=Myriophyllum~variifolium (accessed 24 January, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:







Creative Commons Attribution 3.0 Australia (CC BY)