Plants of South Eastern New South Wales



Flowers. Photographer Nuytsia @ Tas, Tas



Flowering branches. Australian Flant Image Index, photographer Murray Fagg, Australian National Botanic Gardens, Canberra, ACT



Shrub. Photographer Nuytsia @ Tas, Tas

Common name

Alpine daisy-bush

Family

Asteraceae

Where found

Heath, shrubland, grassland, and near swampy areas. Kosciuszko National Park and ACT. Tablelands and western edge of the ranges south of the ACT.

Notes

Shrub to 1 m high. Branchlets cottony hairy with short white wavy hairs and minute more or less hidden glandular hairs, soon becoming hairless. Leaves alternating up the stems, spreading, crowded, 0.1–0.3 cm long, 0.5–1 mm wide, upper surface hairless and dark green, lower surface grey-woolly and almost hidden by the rolled down margins, tips rounded or pointed, sometimes with a small abrupt point. Flower heads 7–12 mm in diameter overall, with 2–6 white 'petals', and cream to yellow centres. Flower heads conical below the 'petals'. Flower heads single, stalkless. Flowering: October–April.

Intergrades with Olearia floribunda in Vic.

All native plants on unleased land in the ACT are protected.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Olearia~algida (accessed 23 January, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:





