Plants of South Eastern New South Wales



Flowering stems. Photographer Don Wood, Green Cape, Ben Boyd National Park south of Eden



Line drawings. e. flowering branch. G Thornlinson, National Herbariumof Victoria, © 2021 Royal Botanic Gardens Board,

Common name

Prickly geebung

Family

Proteaceae

Where found

Dry forest, woodland, and heath. Coast and ranges south from Eden and Bombala.

Notes

Shrub to about 2 m high or sprawling, hairs greyish. Fruit fleshy. Leaves usually sharp pointed. Bark smooth. Young branchlets sparsely to densely hairy. Leaves alternating up the stems, 0.8–3.5 cm long, 0.7–1.5 mm wide, rigid, concave in cross section, surfaces hairless to densely hairy. Flowers with 4 yellow 'petals' each 6–11 mm long, more or less fused at the base, hairless to hairy. Flowers erect or spreading, mostly subtended by leaves, in 1–40-flowered clusters. Flowers Summer to Autumn. Fruit yellow-green to purplish, about 10 mm long, about 8 mm wide. Flowers mostly Dec.–Feb.

Protected NSW.

Hybridises sporadically with Persoonia rigida.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Persoonia~juniperina (accessed 31 January, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:







Creative Commons Attribution 3.0 Australia (CC BY)