

Plants of South Eastern New South Wales




Flowering stem. Australian Plant Image Index, photographer Murray Fagg, Kosciuszko National Park



Flowering stem. Photographer Don Wood, Campbell Park, Canberra, ACT



Shrub. Australian Plant Image Index, photographer Murray Fagg, Kosciuszko National Park



Line drawings. a. flowering branch; flower; seed case. A. Barley, National Herbarium of Victoria, © 2021 Royal Botanic Gardens Board

Common name

Narrow-leaved pomaderris

Family

Rhamnaceae

Where found

Forest, woodland, shrubland, gullies, and along streams. Western Slopes, Kosciuszko National Park, the mountains to the north, ACT, and the tablelands.

Notes

Shrub to 3 m tall. Stems greyish, **stellate** hairy, later becoming hairless. Leaves **alternating** up the stems, 0.4-2.7 cm long, 1-6 mm wide, upper surface rough, with scattered to dense stellate hairs (needs a hand lens or a macro app on your phone/tablet to see), lower surface with a dense pale stellate **tomentum**, **lateral veins** either obscure or looping to the inside and not reaching the leaf margins, tips blunt, margins curved to rolled down. Flowers cream or yellow, with 0 **petals**, and 5 **sepals** 1.8 mm long, falling early. Flowers fragrant. Flowers in 2–20-flowered clusters. Flowers Spring.

All native plants on unleased land in the ACT are protected.

PlantNET description: <http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Pomaderris~angustifolia> (accessed 2 February, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:



Android edition



iOS edition

Creative Commons Attribution 3.0 Australia (CC BY)