
Plants of South Eastern New South Wales



Flow ering stems. Photographer Don Wood, Jervis Bay, NSW



Leafy stem and flow er cluster. Photographer Jackie



Line drawings. i. flower; leaf outline; leaf lower surface detail. A. Barley, National Herbarium of Victoria, © 2021 Royal Botanic Gardens Board

Common name

Rusty Pomaderris

Family

Rhamnaceae

Where found

Dry forest, woodland, and stream banks. Coast and ranges.

Notes

Shrub to 4 m high. Stems moderately to densely hairy with spreading rusty simple hairs. Leaves alternating up the stems, 3–10 cm long, 10–35 mm wide, upper surface hairless and dull; lower surface with longer curly rusty hairs above a whitish tomentum of short stellate hairs (needs a hand lens or a macro app on your phone/tablet to see), often giving a rusty appearance, lateral veins looping to the inside and not reaching the leaf margins, tips pointed to blunt, margins flat to slightly curved down. Flowers whitish to yellow, with 5 sepals each 1.5–2.5 mm long, and 5 petals each 1–2 mm long, rarely absent, in large many-flowered branched clusters 30–100 mm in diameter.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl? page=nswfl&lvl=sp&name=Pomaderris~ferruginea (accessed 2 February, 2021)

Author: Betty Wood.

 $This \, identification \, key \, and \, fact \, sheets \, are \, available \, as \, a \, \, free \, mobile \, application: \, \\$





