
Plants of South Eastern New South Wales



Flow ering stems. Australian Flant Image Index, photographer Murray Fagg, Australian National Botanic Gardens, Canberra, ACT



Flowering stems. Australian Flant Image Index, photographer Murray Fagg, between Bugendore and Braidwood



Line drawings. b. flowering stem, leaves and stipules; calyx. J Armstrong, National Herbarium of Victoria, © 2021 Royal Botanic Gardens Board

Common name

Cupped bush-pea

Family

Fabaceae

Where found

Dry forest and woodland. Tablelands between Tallaganda National Park and the Hume Highway. Rarely north of the Highway. Western Slopes east and north east of Albury. Rarely elsewhere.

Notes

Shrub to 3 m tall. Stems hairy to sparsely hairy. Leaves with sharp tips, 0.3-1.2 cm long, 1-3 mm wide, tips pointed, margins curved upwards, upper surface hairless, slightly paler than or the same colour as the lower surface, midrib raised; lower surface with sparse, pale hairs, denser near the margins. Flowers about 10 mm long, pea shaped, with 5 petals, 2 joined together to form the keel. Standard petal yellow to orange with red striations. Wings yellow to red-purplish-brown. Keel red-purple. Bracteoles round, sticky, inserted at the base of the calyx tube. Flowers in leafy clusters. Flowers Spring to Summer. Pods sparsely hairy, smooth.

Rare Vic

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvI=sp&name=Pultenaea~vrolandii (accessed 2 February, 2021)

Description partly taken from: Kok, R.P.J. de & West, J.G., (2003) A revision of the genus *Pultenaea* (Fabaceae) 2. Eastern Australian species with velutinous ovaries and curved upwards leaves. *Australian Systematic Botany* 16(2): 269-270, Fig. 15

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:



Android edition



iOS edition

Creative Commons Attribution 3.0 Australia (CC BY)