Plants of South Eastern New South Wales



Flowering plant. Australian Flant Image Index, photographer Murray Fagg, unknown place



How ering plant. Australian Plant Image Index, photographer Murray Fagg, Kozciuszko National Park

Common name

Anemone buttercup

Family

Ranunculaceae

Where found

Woodland, heath, very low shrubland in alpine feldmark, alpine herbfields, steep grassy slopes, roadsides, rock crevices, and along snow-melt streams. Kosciuszko National Park.

Notes

Perennial herb to 0.35 m tall or more, often with short rhizomes. Flowering stems stout, hairy to almost hairless. Basal leaves round, 2.5–11 cm long, 40–130 mm wide, leathery, deeply lobed, hairless to hairy above, hairless to somewhat silky below. Stem leaves stem clasping, the lowermost similar to the basal leaves, the upper leaves smaller with narrower segments. Flowers creamy white, 25–60 mm in diameter, with 15–35 petals. Flowers single or in clusters of 2-4. Flowering: early summer. Seeds numerous, plump, about 3 mm long, smooth, with a straight to curved down beak about 2 mm long.

Vulnerable Australia. Vulnerable NSW. Provisions of the Biodiversity Conservation Act 2016 No 63 relating to the protection of protected plants generally also apply to plants that are a threatened species.

NSW Threatened Species profile: http://www.environment.nsw.gov.au/threatenedspeciesapp/profile.aspx?id=10727 (accessed 8 January 2021)

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl? page=nswfl&lvl=sp&name=Ranunculus~anemoneus (accessed 8 January 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:







Creative Commons Attribution 3.0 Australia (CC BY)