


Plants of South Eastern New South Wales



Flowering stems. Photographer A.J. Brown, © 2021
Royal Botanic Gardens Board, Melbourne, Vic



Flowering stems. Photographer Richard Hartland,
Terrick Terrick, Vic



Line drawings: plant; bract; seed; leaf. E Beckett,
University of Oxford, © 2021 Royal Botanic Gardens
Board, Melbourne, Vic

Common name

Small White Sunray

Family

Asteraceae

Where found

Dry **forest**, **woodland**, **shrubland**, and grassy areas. On seasonally wet sites and floodplains. Western Slopes.

Notes

Annual herb to 0.35 m tall. Stems hairy. Leaves **alternating** up the stems, the lower leaves sometimes opposite each other, 1-5 cm long, 1-6 mm wide, bases somewhat stem-clasping, surfaces hairy, margins often wavy. Flower **heads** 12-16 mm in diameter overall, oval, becoming top-shaped, below the '**petals**'. Innermost '**petals**' 4-7 mm long, papery, white; outer '**petals**' small, brown, pale brown, or yellow-brown. Centres yellow. Flower heads in open to moderately dense clusters of 5-15 flower heads. Flowers Sep.-Dec.

PlantNET description: <http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Rhodanthe~corymbiflora> (accessed 4 February, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:



Android edition



iOS edition

Creative Commons Attribution 3.0 Australia (CC BY)