Plants of South Eastern New South Wales



Flower cluster and leaves. Australian Plant Image Index, photographer Murray Fagg, Kangaroo Valley to Berry



Flower cluster and leaves. Australian Flant Image Index, photographer Murray Fagg, Kangaroo Valley to Berry



Flowers. Photographer Jackie Mles



Flowers and seeds. Photographer Jackie Mles



Shrub. Photographer Jackie Miles

Common name

Roldana

Family

Asteraceae

Where found

Occasionally naturalised. Roadsides and moist environments. Coastal, mainly in the Sydney area. Occasionally in the ranges.

Notes

Perennial herb or shrub to 3 m high. Stems hairy with coarse hairs. Leaves alternating up the stems, 8–25 cm long, 100-250 mm wide, with 9–13 shallow lobes, margins sometimes finely toothed, surfaces covered in soft hairs. Flower heads with 3–6 'petals', yellow, sometimes purple on the outside, each 6–10 mm long, and yellow centres 3–5 mm in diameter with 10-15 florets. Flower heads narrow bell shaped below the 'petals'. Flower heads in dense many-flowered branched clusters. Flowers mainly spring.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Roldana~petasitis (accessed 5 February, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:



Android edition



iOS edition

Creative Commons Attribution 3.0 Australia (CC BY)