# **Plants of South Eastern New South Wales**



Flower heads. Photographer Russell Best, Wilsons Promontary, Vic



Flow ering plant. Photographer Don Wood, Bournda National Park south of Tathra

### Common name

Jagged Fireweed

## **Family**

Asteraceae

## Where found

Forest, woodland, shubland, grassland, and swampy areas. Widespread. No records from the Western Slopes.

#### **Notes**

Annual, sometimous rhizomatous perennial, herb to 1.6 m high. Stems more or less hairless, sometimes sparsely to moderately bristly near the base. Leaves alternating up the stems, 3–15 cm long, 25-50 mm wide, surfaces hairless or sparsely hairy or bristly; lower surface sometimes purple, margins toothed, sometimes with small teeth along the teeth, sometimes deeply lobed with 3–5 triangular or oblong projections per side, bases with well-developed auricles, upper leaves more or less stem-clasping. Flower heads 4.5-7.5 mm long, cylindrical, with 0 petals, surrounded by mostly 7–10 appressed green bracts. Florets 12–25, 1–2 mm longer than the flower head. Flower heads in many-flowered clusters, to 100s per stem. Flowering: spring–autumn.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl? page=nswfl&lvl=sp&name=Senecio~biserratus (accessed 6 February, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:







Creative Commons Attribution 3.0 Australia (CC BY)