Plants of South Eastern New South Wales



Rowers and leaves. Australian Rant Image Index, photographer Murray Fagg, Murramarang National Park north of Batemans Bay



Rowers and leaf. Photographer Don Wood, Bangalee Reserve, Nowra



Fruit and leaf. Photographer Don Wood, Murramarang National Park north of Now ra

Common name

Scentless rosewood

Family

Meliaceae

Where found

Forest, stabilised sand dunes, and gullies. Coast, ranges, and the eastern edge of the tablelands.

Notes

Tree to 18 m tall. Fruit with a fleshy aril. Bark scaly, dark brown with whitish and greyish patches. Young stems hairy, becoming hairless. Leaves alternating up the stems, 10-30 cm long, compound, with 3-11 leaflets, each 2-12 cm long, 15-40 mm wide, tips usually blunt, margins entire, surfaces hairless except for more or less prominent hairy domatia (handlens/macro app on your mobile phone may be needed). Flowers sweetly scented, apparently bisexual but functionally unisexual with male and female flowers on different plants. Flowers white to pink, with 4 petals each 4-6 mm long. Flowers in branched clusters 2-5 cm long. Flowers Jan.–July. Fruit pinkish fawn to red. Aril fleshy, red, completely covering the seed.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lv1=sp&name=Synoum~glandulosum (accessed 9 February, 2021)



This identification key and fact sheets are available as a free mobile application:



iOS edition

Creative Commons Attribution 3.0 Australia (CC BY)