Plants of South Eastern New South Wales



Flower. Photographer Jackie Mles.



Flower on stem Photographer Jackie Miles.



Flow ering stems. Photographer Don Wood, Peak Alone, Wandera State Forest west of Cobargo



Flowering plant. Photographer Jackie Mles.

Common name

Glandular Pink-bells

Family

Elaeocarpaceae

Where found

Forest, heath, and rocky areas. Ranges and tablelands south from Budawang National Park. ACT. Kosciuszko National Park. Occasionally elsewhere.

Notes

Shrub to 1 m high. Stems cylindrical, often ridged, hairy. Leaves alternating up the stems, rarely irregularly opposite each other, variable in shape, 0.2–2 cm long, usually less than 5 mm wide, tips pointed or blunt, and curved upwards, margins toothed, and flat to rolled down, both surfaces usually with fine, white hairs and glandular hairs. Flowers deep lilac-pink, with 4 petals 6–11 mm long. Petals and sepals sometimes persistent at the seeding stage. Flowers single or paired, on stalks 3-7 mm long. Flowering: mostly October–January

Family was Tremandraceae.

All native plants on unleased land in the ACT are protected.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl? page=nswfl&lvl=sp&name=Tetratheca~labillardierei (accessed 9 February, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:





