# **Plants of South Eastern New South Wales**



Flow er. Photographer Waltraud Flx, Mt Majura, Canberra, ACT



Flowering stems. Photographer Russell Best, Murray-Sunset National Park west of Mildura, Vic



Back of flower. Photographer Neil Blair, © 2021 Royal Botanic Gardens Board,



Roots and flow ering stem Australian Plant Image Index, photographer Murray Fagg, west of Braidwood

## Common name

Twining fringe lily

### **Family**

Asparagaceae

### Where found

Dry forest, woodland, heath, grassy areas, and moist sites. Mainly Western Slopes, tablelands, and ACT. Rarely elsewhere.

#### Notes

Perennial herb, twining on other plants, or sprawling along the ground, to 1m high. Stems and leaves produced annually. Stems cylindrical and hairy at the base of the plant, hairless and 4-angled above. Leaves basal, withering early, produced annually, 10-20 cm long, 1–2 mm wide, threadlike. Flowers with 6 mauve to violet or purple 'petals', each 5-11 mm long. Flowers Winter to Spring.

Family Anthericaceae in NSW.

All native plants on unleased land in the ACT are protected.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl? page=nswfl&lvl=sp&name=Thysanotus~patersonii (accessed 14 April 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:







Creative Commons Attribution 3.0 Australia (CC BY)