
# **Plants of South Eastern New South Wales**



Flower and leaves. Australian Flant Image Index, photographer Murray Fagg, near Bulli.



Flowering plant. Photographer Jackie Miles, Broulee



Line drawings. a. flowering stem, b. fruit; c. flower. T Brosch, National Herbarium of Victoria, © 2021 Royal Botanic Gardens Board

## Common name

Nasturtium

# **Family**

Tropaeolaceae

#### Where found

Urban bushland, gardens, roadsides, disturbed sites, and along streams. Mainly coastal north from Jervis Bay. Occasionally farther south.

## **Notes**

Introduced annual herb, trailing or climbing, stems to about 2 m long or more. Stems and leaf stalks somewhat fleshy. Fruit fleshy. Stems hairless. Leaves alternating along the stems, 30–150 mm in diameter, round to kidney-shaped, peltate, surfaces hairless, margins entire, wavy, or slightly lobed. Flowers yellow, orange or red, usually streaked darker internally, 25–70 mm in diameter, with 5 petals, fused to each other at the base. Calyx with a narrow nectar bearing conical spur 18–40 mm long. Flowers single. Flowering: spring–autumn. All parts of the plant edible.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Tropaeolum~majus (accessed 10 February, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:







Creative Commons Attribution 3.0 Australia (CC BY)