Plants of South Eastern New South Wales



Rowers and leaves. Australian Rant Image Index, photographer Murray Fagg, Murrumbidgee River near Cooma



Flow ering stem Photographer Don Wood, Tidbinbilla Nature Reserve, ACT



Line drawings. e. flowering and seeding branch; seed case; flower. S Clark, National Herbariumof Victoria, © 2021 Royal Botanic Gardens Board

Common name

Blue water-speedwell

Family

Plantaginaceae

Where found

Stream banks, drainage channels, muddy areas, and in shallow water. Widespread.

Notes

Introduced perennial herb to 1 m or more high, sometimes trailing, with stout rhizomes, hairless apart from glandular hairs on the flower clusters. Stems hollow. Leaves opposite each other, 3–12.5 cm long, 4–45 mm wide, more or less stalkless and stem-clasping, margins often finely toothed, tips pointed. Flowers blue or lilac, 2–5.5 mm long, 5-6 mm in diameter, with a short tube and 4 spreading lobes. Stamens 2. Flower clusters about 15–40-flowered. Flowering: spring–summer.

Family was Scrophulariaceae.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Veronica~anagallis-aquatica (accessed 8 February, 2021)

Author: Betty Wood.

 $This \, identification \, key \, and \, fact \, sheets \, are \, available \, as \, a \, \, free \, mobile \, application: \, \\$





