
Plants of South Eastern New South Wales



Flowering stems. Photographer Richard Hartland, Gisborne, Vic



Flow ering plants. Photographer Russell Best, Gisbourne Swamp, Vic



Line drawings. b. flowering stem bract; detail of bract tips; stemdetail. MMbir, National Herbarium of Victoria, © 2021 Royal Botanic Gardens Board

Common name

Swamp everlasting

Family

Asteraceae

Where found

Wet situations such as permanent swamps. Kosciuszko National Park. Ranges and eastern edge of the tablelands.

Notes

Perennial rhizomatous herb to 1 m high. Stems densely cottony towards the top, otherwide hairless. Leaves alternating up the stems, 3–12 cm long, 3–8 mm wide, hairless or with cottonly hairs on the margins, tips pointed, half stem-clasping at the base. Flower heads 25–50 mm in diameter, with many golden-yellow 'petals' and yellow to orange centres. Flower heads single. Flowers November to March.

Vulnerable Australia. Vulnerable Vic. Listed in the Flora and Fauna Guarantee Act, Vic.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl? page=nswfl&lvl=sp&name=Xerochrysum~palustre (accessed 12 February, 2021)

Author: Betty Wood.

 $This identification \ key \ and \ fact \ sheets \ are \ available \ as \ a \ free \ mobile \ application:$





