Plants of South Eastern New South Wales



Flowers and leaves. Australian Flant Image Index, photographer Murray Fagg, Australian National Botanic Gardens, Canberra, ACT



Flowers and leaves. Australian Flant Image Index, photographer Murray Fagg, Australian National Botanic Gardens, Canberra, ACT

Common name

Coveny's zieria

Family

Rutaceae

Where found

Open forest and woodland. Blue Mountains south west of Katoomba.

Notes

Shrub to 2 m high, only proliferating from root suckers. Produces no seed. Stems stellate-hairy (needs a hand lens or a macro app on your phone/tablet to see), becoming hairless. Leaves strongly aromatic when rubbed, opposite each other, compound, with 3 leaflets, the central leaflet 2.3–4 cm long, 5–11 mm wide, tips blunt to rounded, margins entire, and curved to rolled down; both surfaces stellate-hairy, upper surface dark green and dotted with oil glands, lower surface grey-green. Flowers white to pale pink, with 4 petals each about 6 mm long, and with 4 stamens. Flower clusters usually about as long as the leaves, 3–21-flowered. Flowering: spring-summer.

Endangered Australia. Endangered NSW. Provisions of the NSW Biodiversity Conservation Act 2016 No 63 relating to the protection of protected plants generally also apply to plants that are a threatened species.

NSW Threatened Species profile: http://www.environment.nsw.gov.au/threatenedSpeciesApp/profile.aspx?id=10853 (accessed 8 January 2021)

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Zieria~covenyi (accessed 8 January 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:







Creative Commons Attribution 3.0 Australia (CC BY)