Australian Tropical Ferns and Lycophytes - Online edition

Diplazium pallidum

Family: Athyriaceae

Botanical name

Diplazium pallidum (Blume) T.Moore

Link to Australian Plant Name Index for publication details and synonyms: https://id.biodiversity.org.au/name/apni/77512

Description



Habit. © B.S. Wannar

Rhizome erect, forming a slender trunk to c. 30 cm tall, with persistent stipe bases, scaly at the apex; scales black with irregularly toothed margins. Fronds erect in a spreading tussock. Stipe 10–33 cm long; base black and scaly. Lamina 1-pinnate, 30–50 cm long, 15–25 cm wide, dark green; rachis scaly; apical segment similar in form to the lateral segments but often deeply lobed at the base. Pinnae oblong-lanceolate, 8–14 cm long, 10–12 mm wide; margins toothed to entire; apex attenuate; veins free, forked. Sori extending along the length of the upper branch of a fork; indusium brown with entire margins.

Distribution

Occurs in a limited area of NE QLD near Cairns and Daintree. Also in Malesia and Melanesia.

Habit and habitat

Terrestrial, usually on hillslopes in moderately low altitude rainforest.

Citation of Australian Tropical Ferns and Lycophytes

Field AR, Quinn CJ, Zich FA (2022) Australian Tropical Ferns and Lycophytes. apps.lucidcentral.org/fern/text/intro/index.htm (accessed online INSERT DATE).

Field AR, Quinn CJ, Zich FA (2022) 'Platycerium superbum', in Australian Tropical Ferns and Lycophytes. apps.lucidcentral.org/fern/text/entities/platycerium_superbum.htm (accessed online INSERT DATE).

Copyright © Australian Tropical Herbarium 2022, all rights reserved.



















Web edition hosted at https://apps.lucidcentral.org/ferns