Plants of South Eastern New South Wales



Flowering stem Australian Flant Image Index, photographer Murray Fagg, Royal Botanic Gardens Mt Annan near Campbelltown



Pods. Australian Plant Image Index, photographer Murray Fagg, Australian National Botanic Gardens, Canberra



Shrub. Australian Plant Image Index, photographer Dave Mallinson, Warrumbungle National Park west of Coonabarabran

Common name

Fringed wattle, Brisbane golden wattle

Family

Fabaceae

Where found

Rainforest margins, dry forest, and woodland, often along rocky streams. Coast, ranges and tablelands north from Tilba and from near Cooma. Doubtfully naturalised in the ACT.

Notes

Shrub or tree to 6 m tall. Fleshy seed stalks/arils. Branchlets angled or flattened towards the tips, slightly ridged, hairy to hairless. 'Leaves' alternating up the stems to almost opposite each other, 2-6 cm long, 1.5-7 mm wide, straight or slightly curved, margins more or less appressed hairy (sometimes hairless), midvein fine and more or less prominent, tips pointed with a straight mucro. 1 more or less prominent marginal gland 1–7 mm above the base, sometimes a second gland. Flower heads yellow, globular, 8-20 flowered (easiest seen in late buds), 3-5 mm in diameter, in elongated clusters of 8-25 flower heads. Flowers Winter to Spring.

Family was Mimosaceae.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Acacia~fimbriata (accessed 27 December, 2020)

World Wide Wattle line drawings, photos, and description: http://www.worldwidewattle.com/imagegallery/image.php?
p=0&l=f&id=20572&o=1

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:



Android edition



iOS edition

Creative Commons Attribution 3.0 Australia (CC BY)