Plants of South Eastern New South Wales



Flow ering stem Australian Plant Image Index, photographer Murray Fagg, Gibraltar Falls, ACT



Flow ering stems. Photographer Don Wood, Morton National Park



Shrub. Australian Plant Image Index, photographer Murray Fagg, Tinderry Nature Reserve east of the ACT

Common name

Alpine boronia

Family

Rutaceae

Where found

Dry forest, woodland, heath, in rocky gravelly soils, and shaded gullies. Ranges, tablelands, ACT, the mountains to the west, and Kosciuszko National Park. Near Tumut. Occasionally coastal.

Notes

Shrub to 1.5 m high. Branchlets hairless to moderately hairy, often glandular-warty, young branchlets red. Leaves with obvious oil glands, aromatic when rubbed, opposite each other, about 0.8–1.5 cm long, compound, rachis 0.2–1.2 cm long, winged, with 3–9 oval to wedge-shaped leaflets each 0.2–0.9 cm long, 1–4.5 mm wide, hairless and more or less glandular-warty, lower surface paler than the upper surface, margins entire and curved down, tips more or less rounded and often mucronate. Flowers white to bright pink, with 4 petals each 3–7 mm long, the margins touching each other in bud to form a pyramid. 8 stamens. Flowers in clusters of 1-3.

Protected NSW.

All native plants on unleased land in the ACT are protected.

Rare Vic.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl? page=nswfl&lvl=sp&name=Boronia~algida (accessed 5 January, 2021)

Author: Betty Wood.

•

This identification key and fact sheets are available as a free mobile application:



Android edition _____ iOS edition

Creative Commons Attribution 3.0 Australia (CC BY)

(cc