# **Plants of South Eastern New South Wales**



Flower and stems. Photographer Jackie Mles



Flowering stems. Photographer Jackie Mles



Stems and pods. Photographer Jackie Miles

#### Common name

None

### **Family**

Fabaceae

## Where found

Dry forest and woodland above streams, occasionally in rocky and sandy river beds. Brogo River catchment. Coast and ranges between Bega and Cobargo, mostly in and near Wadbilliga National Park.

### **Notes**

Shrub to 2 m tall, rhizomatous. Stems mostly 4–8 mm wide, flat becoming oval to cylindrical, hairless to sparsely hairy, green. Leaves reduced to scales 0.12-0.2 cm long, about 1 mm wide. Flowers pea-shaped, with 5 petals, 2 joined together to form the keel. Calyx 3.5-5.3 mm long, calyx lobes unequal. Standard petal 9.5-11 mm long, about 12 mm wide, yellow to apricot inside, marked with red, yellow to apricot outside, wings yellow with red markings near the base inside, keel red with a pale base. Flowers Winter to Spring.

No PlantNET description (15 April 2021).

Description in McDougall, K.L., (2009) Four new species related to *Bossiaea bracteosa* F.Muell. ex Benth. in south-eastern Australia *Telopea* 12(3) 358–359.

Later description in Thompson, I.R., (2012) A revision of eastern Australian Bossiaea (Fabaceae: Bossiaeae). Muelleria 30(2): 166-167

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:







Creative Commons Attribution 3.0 Australia (CC BY)