Plants of South Eastern New South Wales



Flowering plant. Australian Plant Image Index, photographer AN Schmidt-Lebuhn, Kooraw atha Nature Reserve south of Cowra



Seeds. Scale is 0.5 mm Photographer Robert Hare, © 2021 Royal Botanic Gardens Board, Melbourne, Vic

Common name

Narrow-wing daisy

Family

Asteraceae

Where found

Dry forest and grassy woodland. Western Slopes, Kosciuszko National Park, the mountains to the north, ACT, and the tablelands.

Notes

Perennial herb to 0.25 m tall, rhizomatous, sparsely to conspicuously whitish sticky hairy. Leaves alternating up the stems or mostly in a near-basal rosette, 2-7 cm long, 8-20 mm wide, green and with sparse to dense non-glandular and glandular hairs, all leaves with shallow lobes, tips blunt or pointed. Flower heads with 18-35 white, pink, mauve, or purplish 'petals' 6.7-7.5 mm long, and yellow centres about 5-8 mm in diameter. Bracts appressed to the flower heads 15-25. Flowers Spring.

All native plants on unleased land in the ACT are protected.

Rare Vic

Definite identification of most species of Brachyscome depends on microscopic examination of the seeds.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Brachyscome~willisii (accessed 6 January, 2020)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:







Creative Commons Attribution 3.0 Australia (CC BY)