# **Plants of South Eastern New South Wales**



Flow er and bud. Photographer Richard Hartland, Anglers Rest, Vic



Flower stemand leaves. Photographer Richard Hartland, Mt Buller, Vic

### Common name

Bulbine Lily, Rock Lily

## **Family**

Asphodelaceae

### Where found

Forest, woodland, roadsides, and rocky areas. Mainly ACT, the mountains to the west, Kosciuszko National Park, and the Bega Valley. Occasional elsewhere.

### **Notes**

Perennial herb to 1.1 m tall, sometimes with a short rhizome. Flower stalks glaucous. Leaves fleshy, basal, 10–45 cm long, 1–10 mm in diameter, cylindrical at the top, usually glaucous. Flowers yellow, with 6 'petals', each 9–17 mm long. Flowers in an elongated cluster 5-40 cm long of up to 75 flowers. Filaments of all six stamens are the same length, 5-8 mm long, the anthers curled above a hairy tuft. Flowering: Oct.—Dec.

All native plants on unleased land in the ACT are protected.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Bulbine~glauca (accessed 6 January, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:







Creative Commons Attribution 3.0 Australia (CC BY)