
Plants of South Eastern New South Wales



Rowering stems. Photographer Richard Hartland, Terrick Terrick, Vic



Line drawings. b. plant; seed. E Mayfield, National Herbarium of Victoria, © 2021 Royal Botanic Gardens Board

Common name

Bogan flea

Family

Asteraceae

Where found

Variety of habitats, including pastures, disturbed ground, and damp sites. Sydney area. Western Slopes. Occasionally elsewhere.

Flow ering plants. Photographer Neville Walsh, © 2021 Royal Botanic Gardens Board, Melbourne, Vic

Notes

Annual herb to 0.1 m tall, or prostrate to sprawling and often forming dense mats. Hairy to bristly. 'Seeds' 1–2.5 mm long, hairy, with 4-6 spines, barbed at the tips. 'Seeds' stick to clothing. Leaves alternating along the stems, 0.5-2 cm long, 1-8 mm wide, rough to hairy, margins entire or the margins or tips with 3-5 teeth. Flower heads about 3 mm in diameter in flower, enlarging rapidly to about 10 mm in seed, whitish green, with about 10 tiny yellow 'petals', in open many-flowered clusters, often appearing single.

Definite identification of all species of Calotis is made by examining the seeds.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Calotis~hispidula (accessed 7 January, 2021)

Author: Betty Wood.

 \odot (cc

This identification key and fact sheets are available as a free mobile application:





Creative Commons Attribution 3.0 Australia (CC BY)