Plants of South Eastern New South Wales




Flowers. Photographer Frank Vincentz, Canary Islands, Africa



Stems with flow er buds. Photographer Jackie Mles



Stem with seed cases. Photographer Don Wood, Scotia Sanctuary, western NSW



Line drawings. e. leaf; seed case, seed. M/bir, National Herbariumof Victoria, ©2021 Royal Botanic Gardens Board

Common name

Nettle-leaf goosefoot, Green fat-hen, Sowbane

Family

Chenopodiaceae

Where found

Pastures, disturbed sites, and waste places. Widespread, mainly Sydney area.

Notes

Introduced annual herb to 1.5 m tall. Stems angular, often grooved. Leaves often with an unpleasant odour when rubbed, alternating up the stems, 1-8 cm long, 5-50 mm wide, hairless, scurfy when young, margins coarsely toothed or shallowly lobed, tips pointed. Flowers bisexual and/or female, green turning red, 1–1.5 mm in diameter, with 5 'petals' fused near the base, in branched clusters. Flowers mostly Sep.–May.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl? page=nswfl&lvl=sp&name=Chenopodium~murale (accessed 7 January, 2021)

Author: Betty Wood.



This identification key and fact sheets are available as a free mobile application:



Creative Commons Attribution 3.0 Australia (CC BY)