Plants of South Eastern New South Wales




Flow ering stems. Photographer Don Wood, Wadbilliga National Park



Flow ering stems. Photographer Don Wood, Black Mountain, Canberra, ACT



Shrub. Australian Flant Image Index, photographer Murray Fagg, Fagg, Carrington Falls, near Robertson



Line drawings. k. flowering branch; fruit. MMbir, National Herbariumof Victoria, © 2021 Royal Botanic Gardens Board

Common name

Dwarf sour bush, Sour bush

Family

Santalaceae

Where found

Forest, woodland, and heath. Widespread.

Notes

Shrub to 2 m high or sprawling, arising from a woody **rhizome** or rootstock. Branches hairless, rigid, cylindrical, 1-2 mm wide, older branch tips almost spiny, sometimes slightly grooved or scarcely angled. Leaves scale-like, 0.5–2 mm long, **appressed** to slightly **spreading**, **alternating** up the stems, sometimes absent. Flowers 3-4 mm in diameter, with 5 white or cream **'petals'** about 1 mm long. Flowers single. Flowering: spring-summer, sporadically throughout the year. Fruit initially fleshy, dry when mature, green.

Occasional intermediates between Choretrum candollei and Choretrum pauciflorum are known.

All native plants on unleased land in the ACT are protected.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl? page=nswfl&lvl=sp&name=Choretrum~pauciflorum (accessed 7 January, 2021)

Author: Betty Wood.

 $This \, identification \, key \, and \, fact \, sheets \, are \, available \, as \, a \, \, free \, mobile \, application: \, \\$





