Plants of South Eastern New South Wales



Flower. Photographer Matthew Herron, Arkansas, USA



Flow ering stems. Photographer Marco Schmidt Burkino Faso



Flow ering stem Australian Plant Image Index, Australian Tropical Rainforest Key, photographer G Sankowsky

Common name

None

Family

Commelinaceae

Where found

Forest, woodland, grassy areas, gardens, disturbed sites, and stream banks. Coast, ranges, and eastern edge of the tablelands. Not common.

Notes

Fleshy annual herb to 0.75 m tall, sprawling, rooting at the nodes. Stems hairless to rough. Leaves alternating along the stems, about 2-3.5 cm long, 7-9 mm wide, surfaces hairless or bristly, tips pointed, base with a sheath. Flowers with 3 pale to bright blue 'petals', the upper two 'petals' each 4.2-6 mm long, the lower 'petal' often much smaller. Usually 3 stamens producing pollen and 2-3 stamens not producing pollen. Flower clusters subtended by green spathes 5-40 mm long. Lower cluster with 2-4 bisexual flowers, upper cluster with 1 to several male flowers. Flowers spring-autumn.

Description based on that in Australian Tropical Rainforest Plants: https://apps.lucidcentral.org/rainforest/text/entities/commelina_diffusa.htm (accessed 30 April 2021)

and on the Wikipedia description: https://en.wikipedia.org/wiki/Commelina_diffusa (accessed 30 April 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:





