Plants of South Eastern New South Wales



Flowering stem Photographer Don Wood, Booderee National Park, Jervis Bay Territory




Flowering stem. Photographer Don Wood, Bangalee Reserve west of Nowra



Fruiting stem Photographer Don Wood, Booderee National Park, Jervis Bay Territory



Tree. Australian Pant Image Index, photographer Murray Fagg, Royal Botanic Cardens Mt Annan, near Campbelltown



Line drawings. BMMayfield, d. flowering branch; e. flower; f. fruit. National Herbarium of Victoria, © 2021 Royal Botanic Gardens Board

Common name

Blueberry Ash, Ash Quandong, Blue Olive berry, Fairy Petticoats, Fringe Tree, Koda, Lily of the valley Tree, Scrub Ash

Family

Elaeocarpaceae

Where found

Forest, moist gullies, and along streams. Coast and ranges.

Notes

Tree or shrub to 30 m tall. Fruit fleshy. Trunk sometimes flanged at the base. Bark brown or grey, smooth or wrinkled, with horizontal

markings and vertical cracks, and with numerous irregular blisters and lenticels. Stems hairless to sparsely hairy. Leaves alternating up the stems, 5–15 cm long, 10–40 mm wide, almost hairless, margins toothed, small hairy and often reddish domatia in the vein angles along the midrib (handlens/macro app on your mobile phone needed), a joint or swelling present at the tops of the leaf stalks. Flowers with 4-5 white, occasionally pink, petals each 7-9 mm long, fringed or deeply lobed. Flower clusters mostly 5–8 cm long. Flowers Spring to Summer. Fruit bright to dark blue, 8-12 mm long.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl? page=nswfl&lvl=sp&name=Elaeocarpus~reticulatus (accessed 12 January, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:







Creative Commons Attribution 3.0 Australia (CC BY)