Plants of South Eastern New South Wales



Rowers on red stems. Photographer John Tann, east of Campbelltown



Flower buds. Photographer John Tann, east of Campbelltow n



Mallee. Australian Plant Image Index, photographers Brooker & Kleinig, unknow n place

Bark. Australian Plant Image Index, photographer Murray Fagg, Australian National Botanic Gardens, Canberra, ACT

Common name

Whipstick ash, Whipstick mallee ash

Family

Myrtaceae

Where found

Mallee shrubland, often in poorly drained areas. Coast, ranges, and occasionally the tablelands, north of the Kings Highway.

Notes

Mallee to 8 m tall. Bark smooth throughout or with a short stocking of rough bark less than 50 cm high at the base of the branches. Smooth bark shedding in long ribbons. Branchlets not glaucous. Juvenile stems cylindrical, sometimes slightly glaucous. Juvenile leaves opposite each other for a few pairs, then alternating up the stems, 5-9.5 cm long, 20-45 mm wide, dull, usually blue-green to grey-green. Adult leaves alternating up the stems, 7-15 cm long, 14-30 mm wide, glossy or dull, green. Flowers white, with 0 petals. Flower clusters 7–15-flowered. Mature flower buds 3–6 mm long, caps shorter than the base. Flowers Spring. Gumnuts 6-8 mm in diameter. Gumnuts that have dropped their seed have valves that are not very noticeable.

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfI.pl? page=nswfl&lvl=sp&name=Eucalyptus~multicaulis (accessed 22 January, 2021)

EUCLID description: https://apps.lucidcentral.org/euclid/text/entities/eucalyptus_multicaulis.htm (accessed 22 January, 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:





iOS edition

Creative Commons Attribution 3.0 Australia (CC BY)