Plants of South Eastern New South Wales



Flowering stem Photographer Richard Hartland, Princetown area, Vic



Flowering stem Photographer Jackie Mles



Flow ering plants. Photographer Jackie Mles

Common name

Rough eyebright, Yellow eyebright

Family

Orobanchaceae

Where found

In or at the margins of swampy **grassland** or in sphagnum bogs. Ranges between Bega and Bombala. Bondi State **Forest**, SE Forests National Park, and Nunnock Swamp.

Notes

Annual herb to about 0.5 m high. Stems rough with coarse short hairs. Upper stem leaves usually 0.6–2 cm long, 1–10 mm wide, rough with coarse short hairs, lower surface covered with stalkless **glands**, margins lobed to toothed with 1–5 pairs of teeth and a **terminal** tooth. Flowers yellow, 8–14 mm long, tubular, 2-lipped, the upper lip with 2 lobes, the lower lip with 3 lobes. Flowers clustered at the tops of the stems. Flowering: October–February

Family was Scrophulariaceae.

Endangered NSW. Provisions of the NSW Biodiversity Conservation Act 2016 No 63 relating to the protection of protected plants generally also apply to plants that are a threatened species.

Endangered Vic. Listed in the Flora and Fauna Guarantee Act, Vic.

NSW Threatened Species profile: http://www.environment.nsw.gov.au/threatenedSpeciesApp/profile.aspx?id=10329 (accessed 6 January 2021)

PlantNET description: http://plantnet.rbgsyd.nsw.gov.au/cgi-bin/NSWfl.pl?page=nswfl&lvl=sp&name=Euphrasia~scabra (accessed 6 January 2021)

Author: Betty Wood.

This identification key and fact sheets are available as a free mobile application:



Android edition



iOS edition

Creative Commons Attribution 3.0 Australia (CC BY)